

Phone number: 01945 410950 support@arborgardensolutions.co.uk <u>http://www.arborgardensolutions.co.uk</u> Trading address: Unit 11, Cattle Dyke, Wisbech, England, PE1 34NR

Deck fusion table build instructions

Before you commence the assembly process, we recommend that you read these instructions thoroughly beforehand to familiarise yourself with the assembly process and to also check that you have the correct components. If for any reason you need assistance, you can find our contact details on the top of the page of these instructions.

We highly recommend that any assembly is carried out on a flat, level surface if possible and that you use another person to assist you if necessary <u>for your convenience all guide holes are pre-drilled.</u>

Package contents

- Tabletop
- 2x legs
- fixings

Tools required

Electric screwdriver (No.2 Pozi bit) or Screwdriver

10mm socket head





Phone number: 01945 410950 support@arborgardensolutions.co.uk <u>http://www.arborgardensolutions.co.uk</u> Trading address: Unit 11, Cattle Dyke, Wisbech, England, PE1 34NR





Begin the table assembly process by placing the tabletop with its face down on a flat and stable surface. Next, select one of the table legs that features a U-shaped cutout.



Before placing the leg into position, ensure that the numbers on the table legs and the tabletop match accordingly. For instance, if the tabletop is labeled as "1-1," find the table leg with the corresponding matching label, such as "1-1."



As you place the leg into position, ensure that it aligns perfectly with the marker-marked lines on the tabletop. These lines are specifically provided to help you center the table legs in the middle of the tabletop, ensuring a balanced and aesthetically pleasing appearance.




Secure each leg to the tabletop by utilizing the provided coach screws through the predrilled pilot holes. Insert the coach screws carefully into the pilot holes, ensuring they are tightly fastened to establish a strong and stable connection between the legs and the tabletop.



Phone number: 01945 410950 support@arborgardensolutions.co.uk <u>http://www.arborgardensolutions.co.uk</u> Trading address: Unit 11, Cattle Dyke, Wisbech, England, PE1 34NR

Step 5



After securing the legs to the tabletop, proceed to place the coach screw in the leg connection point.

The final step is to place black caps on top of the coach screw heads. These black caps serve both a functional and aesthetic purpose.

Your Deck fusion table is now completed!

We hope that you found your product quick and easy to assemble but if not and you require further assistance or have any questions you can contact us via the details above.